6.L. 2.

Ecosystems

130 Populations

141 Blomes

133 Feeding Relationships 140 Ecological Succession

136 Energy and Matter in Ecosystems

An ecosystem is all the organisms that live in an area together with the nonliving factors of the environment. The study of how organisms interact with each other and with their physical environment is the focus of ecology.

Populations

When you talk about a certain kind of organism, you're really

talking about a certain species of organism. A species is a group of organisms that can mate and produce offspring that in turn can produce more offspring.

The brown pelican is one kind of species. Humans are another.

All the: mea are: Pop the :

forn fore with bact

Pop othe fact nee Tog

an e pop fact

All the organisms of the same species that live in the same place at the same time make up a **population**. The mice living in a small meadow are an example of a population. All the pine trees in a forest are a different population.

Populations do not live alone. They share the environment with other populations to form a **community**. The pine trees in a forest, for example, may form a community with populations of deer, mice, raccoons, bacteria, mushrooms, and ferns.

Ecosystems can be named for a dominant physical feature, such as a pond ecosystem, or a dominant plant population, such as a pine forest ecosystem.

Populations do not interact only with each other. They also interact with the nonliving factors of the environment. Pine trees, for example, need soil to grow. They also need air and water. Together, these living and nonliving factors form an ecosystem. An **ecosystem** includes all the populations that live in an area along with physical factors in the environment.





A pine forest ecosystem

13i

156 Protist

157 Kingdom

Kingdom

Monera

077 Animal Cell

Organs, and

Systems

Processes

Physiology

113 Reproduction

078 Plant Cell

082 Tissues.

079 Cell

107 Plant

Factors That Affect Populations

For any population to thrive, there must be enough food, water, and living space. Such factors are called **limiting factors** because they limit how many organisms can live in an environment.

Listed below are some of the different kinds of limiting factors.


Food Plants (and a few other organisms) make their own food. All other organisms obtain food by eating plants or other organisms. Only so much food is available in an ecosystem.

Water The cells and tissues of animals and plants are made up mostly of water. All living things need water to move materials around in the cells and tissues of their bodies.

Light Plants and other organisms that make their own food need light to carry out photosynthesis. If light is limited, the growth of these organisms will also be limited.

Living space Organisms need enough room to live, obtain resources, and reproduce. The place where an organism lives is called its **habitat**.

One way organisms reduce competition for food and other resources is to occupy a specific niche within a habitat. A **niche** is the special role an organism plays within its habitat. Different species may share the same habitat, but no two can have exactly the same niche. For example, deer, rabbits, and squirrels may live in the same leafy forest, but because deer browse higher up on trees, rabbits graze on grasses, and squirrels eat acorns, each animal occupies a different niche.



Animals with same habitat, but different niches

Relationshi

Different specione another. Tomain categorie

competition o tries to make u such as food, v every organism need will surv

Predation is a captures and ϵ is the **prey**. Th relationships I one populatio

symbiosis is a several types species benef species benef occurs when or fluids of a parasite bene not killed.



Mistletoe is a other plants.

Relationships Between Populations

L32

Different species, or kinds, of organisms living together interact with one another. The relationships they form can be divided into three main categories:

Competition occurs whenever more than one individual or population tries to make use of the same limited resource. Because resources such as food, water, and space are limited, there is not enough for every organism. Only those organisms able to get the resources they need will survive.

Predation is a type of feeding relationship in which one animal captures and eats another animal for food. The animal that is eaten is the **prey**. The animal eating the prey is the **predator**. Predator-prey relationships help keep an ecosystem in balance by preventing any one population from getting too large.

Symbiosis is a close relationship between two species. There are several types of symbiosis. **Mutualism** is a relationship in which both species benefit. **Commensalism** is a type of symbiosis in which one species benefits while the other seems to be unaffected. **Parasitism** occurs when an organism called a parasite feeds on the cells, tissues, or fluids of another organism called the **host**. In this relationship, the parasite benefits by getting food; the host is usually weakened, but not killed.

see Alsc

130 Populations

127 Natural Selection

> SEE ALSC

133 Feeding Relationships

134 Food Chains


135 Food Webs

129 Ecosystems

SEE ALSO

076 Cells

082 Tissues, Organs, and Systems



Symbiosis comes from the Greek symbioun, meaning "to live together."

Mistletoe is a parasite that gets Its nutrients from other plants.

ood. All nisms.

rater, and

ise they

ctors.

1 need light of these

ound in the

resources, lits habitat.

resources ne special may share the. For leafy forest, on grasses, niche.



133

Feeding Relationships

See Also

159 Heterotrophs and Autotrophs

107 Plant Physiology

SEE ALSO

153 Plant Kingdom

154 Animal Kingdom

155 Fungi Kingdom

156 Protist Kingdom

157 Kingdom Monera

139 Nitrogen Cycle All organisms need energy to live. Organisms can be divided into three main groups—producers, consumers, and decomposers—based on how they get the energy they need to live.

Plants, algae, and bacteria that make their own food are **producers**. Most producers make their food using the energy of the sun and raw materials from the environment.


Any organism that gets its food by eating other organisms is a **consumer.** Consumers are classified into groups based on what they eat.

- **Herbivores** are plant-eaters. They feed directly on producers. Animals that eat plants (such as rabbits) or those that eat plant products (such as squirrels eating acorns) are herbivores.
- Carnivores are meat-eaters. They get food by eating herbivores or other carnivores. Examples of carnivores include sharks, wolves, and eagles. Scavengers, on the other hand, eat the remains of organisms left behind by other animals. Examples of scavengers include hyenas and crabs.
- **Omnivores** are organisms that feed on both producers and other consumers. Raccoons, bears, people (except strict vegetarians), and skunks are omnivores.

Organisms that feed on the remains or wastes of other organisms are known as **decomposers**. Many bacteria and fungi are decomposers.



Producer



Consumer



Decomposer

Food Chains

Organisms get the the path of energy ecosystem. In moproducers (organi always form the b show the direction



Pondweed

A food chain

In the food chair the arrow, energy The snail is the refirst to feed. Energy the second constant consumer. When perch is the tertion The final link in act as decompos remains of the p




134

Food Chains

Organisms get the energy they need from food. A **food chain** traces the path of energy as it moves from one organism to the next in an ecosystem. In most ecosystems, energy begins with the sun, so producers (organisms that use the sun's energy to make food) always form the base, or starting point, of a food chain. Arrows show the direction of energy movement in a food chain.

SEE ALSO

300 Forms of Energy 137 Energy



Pondweed

Snail

Minnow

Perch

A food chain

In the food chain above, the pondweed is the producer. As shown by the arrow, energy moves from the pondweed to the snail that eats it. The snail is the **primary consumer** in this food chain because it is the first to feed. Energy next moves from the snail to the minnow. As the second consumer in the food chain, the minnow is a **secondary consumer**. When the perch eats the minnow, it takes in energy. The perch is the **tertiary consumer** in this food chain—the third feeder. The final link in a food chain is filled by the bacteria and fungi that act as decomposers. These organisms feed on and break down the remains of the perch when it dies.

See Also

133 Feeding Relationships

139 Nitrogen Cycle

SCHOOL

Decomposers are often left out of food chain diagrams. But remember that decomposers are always the final link in a food chain.



ed into

oducers.

ıs is a n what

lucers.
eat plant
es.

rbivores

and other

starians),

nisms are

nposers.

arks,

the amples of

n and raw


ers-based

omposer

Food Webs

also Also

134 Food Chains 129 Ecosystems A food chain shows only one energy path in an ecosystem. But most organisms are part of more than one food chain. Scientists often use a food web to show a more complete picture of the flow of energy in an ecosystem. A **food web** is a system of several overlapping food chains.



See Also

300 Forms of Energy

137 Energy

133 Feeding Relationships

139 Nitrogen Cycle As with most-ecosystems, the energy in a pond ecosystem starts with the sun. This energy is taken in by producers and converted to food energy. The energy in food then moves through different levels of consumers. The movement of energy ends with the many bacteria and fungi that live in the mud at the bottom of the pond. These decomposers feed on the wastes and remains of pond organisms. As they feed, they break down the organisms' tissues into valuable materials that are then returned to the ecosystem.

En€

Energy Most (Some throug ecosys being (

Ener

The en other c energy proces and wa life act

the ecc the ene carried reason, level is energy

Energy and Matter in Ecosystems

Energy and matter are two factors present in every ecosystem. Most of the energy that enters an ecosystem comes from the sun. Some of this energy is converted into chemical energy that moves through the ecosystem by way of food chains. The matter in an ecosystem includes food, water, and air. This matter is constantly being changed in form and recycled through the environment.

SEE ALSC

136

250 Matter

300 Forms of Energy

134 Food Chains

Energy

The energy in most ecosystems begins with the sun. Plants and other organisms with chlorophyll in their cells can capture this energy and use it to make food through photosynthesis. In this process, light energy is used to make sugar from carbon dioxide and water. Energy from food may be used by an organism for its life activities, or stored in its cells and tissues.

Energy stored in the cells and tissues of organisms is passed through the ecosystem by way of the food chain. Organisms at each level use the energy to carry out their life processes. As these processes are carried out, some energy is lost to the environment as heat. For this reason, only about 10 percent of the energy present at one feeding level is passed to the next feeding level. The decrease in available energy at each level of a food chain is shown in an **energy pyramid**.

137

See Also

107 Plant Physiology

076 Cells

082 Tissues, Organs, and Systems

See

134 Food Chains




em. But

Scientists

everal

of the flow

n starts with ed to food levels of bacteria These anisms. valuable



Energy pyramid

144 Deciduous

Forests

See

ALSO

Processes

Physiology

079 Cell

107 Plant

153 Plant

154 Animal Kingdom

Kingdom


Ecological Succession

The set of organisms that occupy an area is constantly changing. The natural process by which one community of organisms slowly replaces another in a certain area is called ecological succession.

Let's look at the development of one kind of ecological community, a deciduous forest:

The first organisms to live in an area are called pioneer species. Mosses and lichens, organisms made up of a photosynthetic alga (or a cyanobacterium) and a fungus that live in close association with each other, are common pioneer species. They are both able to grow on bare rock. As they grow, they release acids that break down the rock to form soil. In time, enough soil is formed to support the growth of larger plants such as ferns or grasses.

As a plant colony is established, small animals that feed on the plants will move into the area. Larger animals that feed on the small animals can also move in. Wastes and remains from these organisms decay, helping the soil to become richer and deeper. This deeper, richer soil can support the growth of larger plants, such as shrubs. As the shrubs replace the grasses, some populations of grass-eating animals leave the area in search of another food source. New animals that use the shrubs as food move in to take their place.





An example of ecological succession

also 191 Soil

Soil continues becoming richer and deeper as new wastes and remains break down. In time, trees such as oaks and hickories take root and replace the shrubs. Still later, maples and beeches grow and mature. Eventually, the community reaches a stable point where very few new plants can colonize, or move into, the area. This type of community is known as a climax community.

Organisms 1 supports life kilometers u float on air (unusual tube

Physical fact different par area over a l climate of ar Areas close near the pole experience v

The climate The plants, i area can sup distinct clim exist both in










Biomes

Organisms live almost everywhere on Earth. The part of Earth that supports life is called the **biosphere**. The biosphere extends several kilometers up into the atmosphere (where microscopic organisms float on air currents) and deep down to the ocean floor (where unusual tubeworms live near hot water vents).

Physical factors such as climate determine what ecosystems exist in different parts of the biosphere. **Climate** is the general weather of an area over a long period of time, including its seasonal changes. The climate of an area is largely determined by its location on Earth. Areas close to the equator receive more direct sunlight than areas near the poles, and so are warmer year-round. Areas nearer the poles experience warm summers but cold winters.

The climate of an area determines what plants can grow in that area. The plants, in turn, determine what animals and other organisms the area can support. A **biome** is a large region characterized as having a distinct climate and specific types of plant and animal life. Biomes exist both in the ocean and on land.



SCINKS.

Keyword: Biomes www.scilinks.org Code: GSSM141 141

SEE ALSO

215 Earth's Atmosphere 207 Ocean Floor

> SEE ALSC

227 Climate

230 Pattern of World Climates

iging. The wly ession.
nmunity,

ological

ind ies take grow and where very /pe of

Tundra

The **tundra** is a cold, dry, mostly treeless land biome that encircles the Arctic Ocean. Temperatures in the tundra are well below freezing for much of the year. For this reason, most of the ground is covered by **permafrost**, soil that remains frozen to a depth of about 1 meter (about 3 ft). Only 20 to 50 cm (8 to 20 in.) of precipitation fall in the tundra each year. Most of this precipitation falls as snow or ice because of the cold temperatures.


T<u>id You Kn</u>ow?

There is almost no tundra in the southern hemisphere because there is very little land at that latitude.

The average winter temperature in the tundra is about -26°C (about -15°F), although temperatures often drop much lower. In the summer, the area receives continuous daylight that allows temperatures to rise to an average of 12°C (about 54°F). The warming temperatures of summer melt surface ice, creating many small ponds and streams.

See Also

133 Feeding Relationships The growing season in the tundra is very short, lasting for only about 60 days. During this time, a limited number of flowering plants come to life to join the mosses and lichens that are the main producers of the tundra. These plants provide food to the arctic hares, caribou, and musk oxen that make their home in the tundra. Mosquitoes breed in large numbers and provide food to small animals like mice and birds. The most common land predator is the wolf. Along the coasts, seals and walruses eat plentiful fish, but may themselves be preyed upon by polar bears.



Tundra organisms

Coniferous

Trees that rer and produce s erous forests talga. Much of the United



Winter temper (about 14°F), The forests ge This precipitat warmer seasor

Warmer tempe forests very su hemlocks, pine to help them si with a waxy co cold. Many coi keep snow fror

In the conifero squirrels, chipr Wasps, beetles seek shelter in and in the north



Coniferous forest

Trees that remain green throughout the year, have needle-like leaves, and produce seeds in cones, are called **coniferous trees**. Many coniferous forests are found just south of the tundra in an area called the **taiga**. Much of Canada, Alaska, and the northern Rocky Mountains of the United States are taiga.

Not all conife

Not all coniferous forests are in the talga. Forests of white pine, red pine, spruce, and hemlock exist in many parts of the northern United States.

Winter temperatures in coniferous forests average about -10°C (about 14°F), while in summer they average about 14°C (about 57°F). The forests get about 50 cm (about 20 in.) of precipitation each year. This precipitation falls as snow during the winter and as rain during warmer seasons.

Warmer temperatures and regular precipitation make coniferous forests very suitable for tree growth. These forests are made up of firs, hemlocks, pines, and spruces. Coniferous trees have many adaptations to help them survive cold winters. These include needle-shaped leaves with a waxy covering that helps the tree retain water and withstand the cold. Many conifers also have flexible branches and a shape that helps keep snow from building up on and breaking their branches.


In the coniferous forest, herbivores like moose, elk, porcupines, red squirrels, chipmunks, rabbits, mice, beavers, and geese are common. Wasps, beetles, and other insects are abundant. Many kinds of birds seek shelter in the trees. Carnivores include bobcats, foxes, wolves, and in the northernmost regions, lynxes.

See Also

127 Natural Selection

> SEE ALSO

133 Feeding Relationships



Coniferous forest organisms

inowy owl

circles

freezing

covered

meter

] (about

summer,

es to rise res of

only about

ants come

ribou, and

ucers of

breed in and birds.

sts, seals

ed upon

reams.

ice

all in the

144

Deciduous Forests

See Also

127 Natural Selection 227 Climate Many broadleaf trees, such as oaks, maples, and birches, drop their leaves in autumn. This adaptation helps the trees conserve water and energy during winter months. Trees that drop all their leaves each year are called **deciduous trees** and are the main plants of the deciduous forest biome. Deciduous

forests are located in temperate climates. Such areas are found in the eastern United States, parts of central Europe, and parts of Asia.

Deciduous comes from the

Latin deciduus, meaning

"to fall off."

With a lot of rain, moderate temperatures, and a long growing season, deciduous forests are home to a wide variety of trees and other plants. Rainfall averages between 75 and 125 cm (about 30 to 49 in.) per year. Temperatures range from 6°C to 28°C (about 43°F to 82°F). Soil and climate determine which deciduous trees will form the climax community. In the eastern and southern United States, hickory trees are common. Beech and maple form the climax community in many northern forests. Other trees of the forest include oak, elm, and poplar. Smaller plants, such as mosses, ferns, and grasses, grow nearer the ground.

Deer are the most common browsing herbivore in many deciduous forests. Other plant-eaters include squirrels, chipmunks, mice, rabbits, turtles, and many birds. Raccoons, opossums, and black bears are omnivores found in many deciduous forests. Carnivores include foxes, coyotes, snakes, insect-eating birds such as woodpeckers, and birds of prey such as hawks, owls, and falcons.

see Also

140 Ecological Succession

> SEE ALSO

133 Feeding Relationships



Deciduous forest organisms

Tropical Rain

Near the equator, abundant rainfall (tropical rainforests species than any o

The rainforest is d the ground, in the forest. Because of forest floor, and re

The tall plants of thardwood trees. In monkeys and jagua any one rainforest ants, beetles, termicrickets and tree fr



Tropical rainforest org



The Amazon rain for development has oc room for roads or fa

Tropical Rain Forests

Near the equator, warm temperatures (around 25°C, or 77°F) and abundant rainfall (more than 150 cm, or 60 in., each year) allow tropical rainforests to flourish. These ecosystems are home to more species than any other ecosystem on Earth.

The rainforest is divided into many vertical layers. Organisms live on the ground in the trees or in the canopy, the uppermost layer of the forest. Because of the thick vegetation, little light is able to reach the forest floor, and relatively few small plants grow there.

The tall plants of the rainforest ecosystem include a great variety of hardwood trees. In South America, these trees provide a home to monkeys and jaguars. In Africa, they provide habitat for leopards. In any one rainforest tree there may be hundreds of different species of ants, beetles, termites, and other insects. The rainforest abounds with crickets and tree frogs, toucans and parrots.

107 Plant Physiology

Emerald trea Golden frog

Vanilla plant

Tropical rainforest organisms

Pid Lou Know?

The Amazon rain forest in South America is the world's largest rain forest. But as development has occurred, some of the rain forest has been cleared to make room for roads or farms.

341 Habitat Loss


comes from the

ius, meaning

ound in the f Asia.

ing season, ther plants. n.) per year. Soil and iax commus are comy northern ır. Smaller ground.

eciduous tice, rab-.ck bears s include



146

Grasslands


SEE ALSO

139 Nitrogen Cycle 191 Soil

See

140 Ecological Succession 134 Food Chains 135 Food Webs Grasslands are biomes in which the main types of plants are grasses. Temperatures in the grassland are mild in summer (about 30°C, or 86°F) and cool to cold in winter (about 0°C, or 32°F). With only 25–75 cm (about 10–30 in.) of rainfall each year, the grassland is too dry to support the trees of a forest, but it is fertile and can support many species of grasses. This grass provides a source of food to grazing animals. The roots of grasses spread, helping to hold the soil in place. As grasses die and decay, rich soils are formed.

North America is home to the Great Plains and tall-grass prairie where huge, thunderous herds of bison once grazed. Today there is a new population of bison as well as pronghorn antelope. They share the ecosystem with many other grassland dwellers. Prairie dogs, rabbits, and pocket gophers build vast underground homes—sometimes like cities. These animals provide a food source to snakes, prairie hawks, weasels, and coyotes.



Grassland organisms

A savanna is a grassland with a few scattered trees. In Australia, large savannas provide a home to kangaroos and wombats. A savanna near the Serengeti Plain in Africa provides a home to giraffes and elephants that feed on the trees. South America also has large savanna areas called pampas.

see Also

110 Animal Behavior The best-known grassland of Africa is the Serengeti Plain. This region is home to antelope, zebra, and lion, among others. Twice a year, hundreds of thousands of wildebeests migrate across this immense grassland.



Deserts

When you the of northern A world. The him More local do American we

Deserts are c (about 10 in.) to survive in mesquite bus producers. As include kanga animals serve

A cactus is a leaves help puthe ground's

Desert tempe it is a daily consumer the burrow in the hours. The ar are much low



Desert organis

The kangar seeds and

Deserts

e grasses.

and is too

d the soil

Э°С, or

upport
od to

airie

ogs,

here is

ney share

to snakes.

only

When you think of the desert, you might imagine the Sahara Desert of northern Africa. But there are many other deserts throughout the world. The huge Gobi Desert cuts a large path across central Asia. More local deserts include the Sonoran and Mohave Deserts of the American west.

Deserts are dry environments that generally receive less than 25 cm (about 10 in.) of rainfall each year. So desert organisms must be able to survive in dry regions. In a typical desert food web, cacti, mesquite bushes, small flowering plants, and thorny bushes are the producers. Animals that eat seeds and other parts of these plants include kangaroo rats, insects, lizards, rabbits, and armadillos. These animals serve as prey for snakes and vultures.

A cactus is a plant with obvious adaptations to desert life. Spiny leaves help prevent water loss. Well-developed roots spread out near the ground's surface to quickly take in any water that falls.

Desert temperatures can reach over 38°C (100°F). For many animals, it is a daily challenge to keep cool. To accomplish this, many animals burrow in the ground or take cover under rocks during hot, daylight hours. The animals come out to find food at night, when temperatures are much lower. Animals that are active mainly at night are **nocturnal**.

ALSO

133 Feeding Relationships

135 Food Webs

see Alsc

127 Natural Selection

> see Also

110 Animal Behavior



Desert organisms

Did You Know?

The kangaroo rat does not need to drink water. It gets the water it needs from the seeds and fruits it eats.


147

148

Freshwater Ecosystems


See Also

105 Animal Physiology 106 Animal Life Cycles Freshwater ecosystems include lakes, ponds, swamps, streams, and rivers. Swift flowing rivers provide habitat to many fish species that need the high amount of oxygen that a fast-moving stream provides. These streams are also home to the larvae (young) of many kinds of insects.



Freshwater organisms found in streams

Slower moving streams that meander through valleys usually have more plants growing on their banks. This growth provides a sheltered habitat to fish, aquatic birds, and insects. Rivers that empty into oceans may be home to saltwater fish species that come upriver to have their young. Areas where freshwater rivers flow into the ocean are known as **estuaries**. Estuaries are very rich in nutrients and provide a good environment for the young of many types of fish and shellfish.



Freshwater organisms found in lakes


See Also

133 Feeding Relationships Lake ecosystems are home to a wide variety of organisms. Plants may grow along the edges of the lake where water is shallow and the plants can take root in soil. Algae are also important lake producers. Many animal species live near the lake's edges, visiting only to get water and food. Different types of fish live in the lake's waters. Amphibians, such as frogs and newts, may also make their home near the water.

Saltwater E

The ocean is di areas is the **ope** prevent many o source in this z animal larvae the

Intertidal zone



Ocean life zones

Intertidal zones tide and not cove shelled animals burrowing in sar snails, and other

are exposed to so only to be covere

The coral reef is cal regions. Life grows with other colonies. As thes build on the skel the reef structure reef provide shell types of animals, shrimps, lobsters and sponges.


Saltwater Ecosystems

The ocean is divided into three zones of life. The largest of these areas is the **open-ocean zone**. Lack of mineral nutrients and sunlight prevent many organisms from living in this region. The main food source in this zone is **plankton**, one-celled algae, protists, and tiny animal larvae that float at or near the water's surface.

See Also

211 Open-Ocean Zone

156 Protist Kingdom



Ocean life zones

Intertidal zones are shoreline areas that are covered by water at high tide and not covered by water at low tide. In this zone live many shelled animals that have adaptations for clinging to surfaces or burrowing in sand to avoid being carried out to sea. Periwinkles, snails, and other species often live near the tops of rocks, where they are exposed to sunlight, salt spray, and wind for much of the time, only to be covered by salt water during high tide.

210 Neritic Zone 209 Intertidal Zone

127 Natural Selection

The **coral reef** is a type of marine ecosystem common in many tropical regions. Life in the coral reef centers on coral, a small animal that

grows with others of its kind to form huge colonies. As these corals live and die, they build on the skeletons of others, expanding the reef structure. The crevices of a coral reef provide sheltered habitat to many types of animals, including sea stars, shrimps, lobsters, fish, sea anemones, and sponges.

See Also

131 Factors That Affect Populations

s. Plants may and the plants cers. Many get water and phibians, the water.

treams, and

species that

am provides.

any kinds of

ally have s a sheltered ty into oceans to have their are known as a good envi-



A coral reef

CHAPTER 4

ECOLOGY

- THE LIVING ENVIRONMENT: KEY IDEA 3 Individual organisms and species change over time.
- THE LIVING ENVIRONMENT: KEY IDEA 5
 Organisms maintain a dynamic equilibrium that sustains life.
- THE LIVING ENVIRONMENT: KEY IDEA 6
 Plants and animals depend on each other and their physical environments.
- THE LIVING ENVIRONMENT: KEY IDEA 7
 Human decisions and activities have had a profound impact on the physical and living environment.

Origin of the Living Environment


Living organisms depend on the **lithosphere** (rock and soil), the **hydrosphere** (water), and the **atmosphere** (air) of Earth. Throughout Earth's history these three areas have changed.

Earth's original atmosphere did not contain the gases, oxygen, and water vapor that life depends on. Volcanic eruptions released gases and water vapor from Earth's interior. As Earth cooled, water vapor condensed and precipitation filled the ocean and lake basins. This formed Earth's hydrosphere. Erosion of rock and soil added salts and minerals to the water. Photosynthesis by green plants, especially the algae in the oceans, removed the carbon dioxide from the atmosphere and released oxygen. The forces of weathering, erosion, volcanic activity, and crustal plate movement changed the shape of the land.

Review Questions

1.	eruptions released many gases into the atmosphere.
2.	As Earth cooled, condensed to water droplets.
3.	The ocean basins were filled with water by the process of
4.	The oceans, lakes, and rivers of Earth make up the
5.	The solid outer layer of Earth is the
6.	Nitrogen and oxygen are the main gases in the
7	Overgon in the atmosphere is produced by by green plants.

8. On the diagram below label the following: atmosphere, hydrosphere, lithosphere



Ecosystems

Ecology is the study of the interactions between organisms and the environment. Organisms depend on their physical environment. The survival of an organism is determined by its ability to sense and respond to the environment.

The number of organisms that an ecosystem can support depends on the resources that are available and the physical features of the area. There are two parts to an **ecosystem**: the living (biotic) factors and the non-living (abiotic) physical factors. Biotic factors are the living organisms. A **population** consists of the individuals of one species living in a location. For example, all the bullfrogs that live in a pond are a population. All the different populations in one location define a **community**. A pond community could include all the frogs, fish, and plants in the water.




FIGURE 1. POND ECOSYSTEM

Some of the non-living factors in an ecosystem are temperature, light, soil, air, and water. Energy enters the ecosystem as sunlight. Energy and matter flow from one organism to another. Energy is eventually lost from the ecosystem to the environment mainly as heat.

Given enough resources and a lack of disease or predators, populations increase. Factors such as lack of resources, habitat destruction, predators, or a change in climate will limit the growth of some populations in an ecosystem. The environment may contain dangerous levels of substances called **pollutants**, which are harmful to organisms. For example, mercury in the water or carbon monoxide in the air can be harmful to organisms.

Review Questions

9.	All the organisms in a forest will		with one another.			
10.	Classify the following parts of an ecosystem as (A) abiotic or (B) biotic:					
	a. water	d.	sunlight			
	b. green plants	e.	soil			
	c. ants	f.	bacteria			
11.	All the mountain gorillas in a rainforest are called a					
12.	Communities are the different	01	forganisms in a location.			
13.	If there are adequate resources and no predators or disease, then populations					
	will in size.					
14.	The main source of energy for an ecosystem is					
15.	Energy is lost from a system mainly in the form of					
16.	Harmful substances in the environment are called					

Relationships Among Organisms

The organisms in an environment interact with one another. These interactions are classified as competitive, harmful, or beneficial.

INTERACTIONS BETWEEN ORGANISMS

TYPE OF INTERACTION	DESCRIPTION	EXAMPLE
Competitive	Organisms with the same needs compete for the same resources such as food and space	Foxes and hawks both eat rabbits
Harmful	One organism is harmed while the other benefits	Tapeworm in the human intestine
Beneficial	One or both organisms gain from the relationship while neither is harmed	Bacteria in the human intestine

Some species have adapted to be dependent upon each other with the result that neither could survive without the other. Some microorganisms are essential for the survival of living things. Humans could not survive if they did not have beneficial bacteria in their intestines. Bacteria live in the roots of pea plants where they convert nitrogen in the air to a useable form for the plant.

Review Questions

17.	In an ecosystem, organisms	will with each other.
18.	The interaction between a fle	a and a dog is classified as
19.	A snake and a hawk will	with each other for the same food.
20.	Some species have adapted	to beupon each other for survival.
21	Some	are necessary for the survival of living organisms.

Feeding Relationships

In ecosystems two major types of nutrition occur: autotrophic and heterotrophic. Autotrophs or **producers** are organisms that make their own food. They convert light energy from the Sun into the chemical energy found in food. By the process of photosynthesis, autotrophic green plants produce sugar and oxygen from the water and carbon dioxide they absorb. They provide nutrients for all other organisms that cannot make their own food. All green plants are producers for ecosystems.

Heterotrophs or **consumers** cannot make their own food. They eat energy-rich food made by the producers. **Herbivores**, such as cows and rabbits, obtain energy by feeding on plants. **Carnivores**, such as lions and hawks, obtain energy by feeding on other animals. **Omnivores** are consumers that obtain energy by eating both plants and animals. Humans and bears are omnivores.

Decomposers obtain energy by consuming wastes and dead organisms. Bacteria and fungi are important decomposers in ecosystems. They break down the remains of dead organisms and return substances to the environment that can be reused by other organisms. This activity recycles substances for the ecosystem. For example, when leaves decay, the nutrients in the leaves are returned to the soil for plants to use for growth.




FIGURE 2. FEEDING RELATIONSHIPS

Review Questions

22.	All organisms need to survive.
23.	Autotrophs their own food.
24.	do not make their own food.
25.	Substances in the ecosystem are recycled by the

26	Comp	loto	tho	chart
20.	Comp	ele	uie	unan.

Nutrition Type	Producer or Consumer?	Description	Example
Autotroph	a.	b.	C.
Herbivore	d.	Feeds on plants	e.
Carnivore	Consumer	f.	g.
h.	i.	Feeds on plants and animals	j.
Decomposer	k.	1.	m.

Energy Flow in the Ecosystem

Matter is transferred from one organism to another and between organisms and the physical environment. Water, nitrogen, carbon dioxide, and oxygen are examples of substances cycled between the living and non-living environment. Green plants remove carbon dioxide from the air. The carbon is passed on to consumers in the form of sugar. The plants release oxygen and water vapor to the air.

Food chains illustrate the flow of energy and matter through an ecosystem. The energy flows in one direction and usually starts from the Sun. Food chains begin with producers. Energy passes from the producers to the consumers. Decomposers return the energy to the ecosystem. There are many types of organisms at each feeding level. There are many food chains in an ecosystem.




FIGURE 3. FOOD CHAIN

Food chains are interconnected at various points forming a **food web**. Food webs identify all of the feeding relationships among the producers, consumers, and decomposers in the ecosystem. The final organism in a food web is always a decomposer.




FIGURE 4. FOOD WEB

Energy pyramids show the amount of energy available in the ecosystem from one organism to the next. The greatest amount of energy is present in producers which are at the bottom of the pyramid. An ecosystem needs a large number of plants to support the other organisms. Producer plants are eaten by primary consumers known as herbivores. Herbivores are eaten by secondary consumers or carnivores.





FIGURE 5. ENERGY PYRAMID

Energy is passed on and used in the food chain. Yet some energy is wasted and lost from one level to the next. The energy available decreases as one moves to the upper levels of the energy pyramid. Therefore the total mass of living organisms that can be supported at each level decreases.

Review Questions

- 27. Energy flows through the ecosystem in one ______.
- 28. The energy in the ecosystem begins with the ______
- 29. The final organism in a food web or chain is always a ______.
- 30. Examples of substances cycled between living and non-living environment are water, ______ and ______
- 31. The greatest amount of energy in the pyramid is present at the _____ level.
- **32.** Large numbers of ______ are consumed by smaller numbers of consumers.
- 33. The energy available in the pyramid ______ towards the top.
- **34.** Refer to the diagram of a desert community.

DESERT COMMUNITY



- a. This diagram represents a food ______
- b. Name one producer_____.
- c. Name a carnivore _____
- d. Molds are classified as _____.
- e. Name a "raw material"_____.
- f. Complete this food chain:

_____ > scorpion

Changes in Ecosystems

For an ecosystem to remain unchanged, there must be a constant source of energy. There must be organisms which use this energy to produce food. These are producers such as green plants. There must also be a cycling of materials between the living organisms and the environment. This is done by decomposers.

Ecosystems change over time. The environment may be altered through the activities of organisms or by forces of nature. Natural events such as volcanoes, floods, and forest fires can change environments. As the environment changes some species may replace others. This results in a gradual change called **ecological succession**. The original organisms in an ecosystem are replaced with other types. A new community replaces the old community. For example, over time a pond of fish and snails may become a swamp of frogs and large plants.




FIGURE 6. ECOLOGICAL SUCCESSION

An organism will survive only if it can adapt to its changing environment. Species that cannot adapt become **extinct**, or die out. This happens when something that is essential for the organism to survive is removed. Causes of extinction include changes in climate, natural disasters such as asteroid impacts, habitat invasion by predators, and hunting by humans. Pollution in the water can lead to a loss of habitat resulting in extinction of certain types of fish.

Evidence for extinction is found in fossils in sedimentary rock. Many organisms which lived in the past are no longer found on Earth. The dinosaur which was very abundant 70 million years ago, no longer exists.

Review Questions

35.	Ecosystems will be unchanged if there is a constant source of		
36.	Decomposers material between living organisms and the environment		
37.	A gradual change in the ecosystem of an area is called		
38.	An organism will survive only if it can	to changes in its environment.	
39.	Evidence for extinction is found by stu	in sedimentary rock.	
^			

Human Effects on Ecosystems

The survival of living organisms on Earth depends on the conservation and protection of Earth's natural resources. **Non-renewable resources** are Earth materials which cannot be replaced by natural processes. For example, as we continue to remove and use copper ore from rocks, the amount of copper available to us becomes less. Recycling of metals can lessen this effect.

Renewable resources are replaced by natural processes within a period of time. Soil is replenished with nutrients by decomposition of plant and animal matter. Water is recycled by nature. Overuse and not allowing time for replenishment threatens renewable resources.

Overpopulation by any species affects the environment due to increased use of resources. Human activities have caused environmental degradation through resource acquisition and the use of non-renewable resources. **Urban** growth, that is the spreading of cities by humans, has caused habitat destruction as forests and wetlands have been destroyed. Land use decisions and waste disposal by humans have changed ecosystems.

Human activities have caused major pollution of the air, water, and soil. Since the start of the Industrial Revolution this impact has increased dramatically. The burning of fossil fuels for energy production and the use of Earth's natural resources in manufacturing have affected ecosystems. Pollution has had a cumulative and global impact. Acid rain, global warming, and ozone depletion impact many ecosystems worldwide.

Review Questions


40.	The survival of organisms on Earth depends on the protection and of natural resources.
41.	resources cannot be replaced in our lifetime.
42.	Water is an example of a resource.
43.	Human activities have resulted in air, water, and soil
44.	The negative impact of human activities on ecosystems has increased since the
	began.

CHAPTER REVIEW

1.	An earthworm burrows in the soil. The earthworm is directly interacting with the					
	(1) atmosphere	(2) hydrosphere	(3) lithosphere	(4) stratosphere		
2.	The oceans, lakes, and streams are part of the					
	(1) atmosphere	(2) hydrosphere	(3) lithosphere	(4) stratosphere		
3.	Which process added o	xygen to Earth's atmos	sphere?			
	(1) volcanic eruptions(2) competition among	species	(3) erosion of rock s (4) photosynthesis l			
4.	The group of different of	organisms that live toge	ther in an area is the	:		
	(1) community	(2) niche	(3) population	(4) species		
5.	Pigeons of the same sp	pecies living in a city pa	ırk represent			
	(1) a population	(2) a biome	(3) a food chain	(4) an ecosystem		
6.	Which term includes the	e other three?				
	(1) population	(2) species	(3) community	(4) ecosystem		
7.	The study of the interact	ctions between organis	ms and their interrela	ationships with the		
	(1) ecology	(2) zoology	(3) physiology	(4) cytology		
8.	À non-living (abiotic) fa	ctor that might affect th	ne types of organisms	s in a pond is		
	(1) production of food t(2) number of offspring		(3) addition of goldt (4) amount of oxygo			
9.	The relationship betwe	en fleas and a dog is n	nost similar to the rela	ationship between		
	(1) bees and flowers(2) fish and algae		(3) foot fungus and (4) hawk and mice	human		
10.	In a natural community	in New York State, the	e producer organisms	s may include		
	(1) bacteria, fungi, prot(2) deer, rabbits, squir		(3) fish, algae, frog (4) grasses, trees,			

11. Bacteria of decay (decomposers) are important components of an ecosystem because they (3) absorb sunlight (1) recycle organic matter (4) produce oxygen (2) carry on photosynthesis 12. As a member of the ecological community, humans are classified as (4) autotrophs (3) consumers (2) decomposers (1) producers 13. Solar energy enters food chains through the life processes of (2) decomposers (4) producers (3) carnivores (1) omnivores 14. The decomposers that decay plant and animal matter in an ecosystem include (3) grasses and insects (1) grasses and bacteria (4) grasses and mushrooms (2) bacteria and mushrooms 15. The typical sequence for a food chain is (1) green plants —→ carnivores —→ herbivores (2) green plants → herbivores → carnivores (3) herbivores —→ green plants —→ carnivores (4) herbivores —→ carnivores —→ green plants 16. An incomplete food chain is shown below algae → minnow → trout → X What organism could be represented by the X? (4) cow (3) pine tree (2) jellyfish (1) human 17. In a food web, the greatest amount of chemical energy is provided by (3) primary consumers (1) producers (4) secondary consumers (2) decomposers 18. The diagram shows a food web. Which organisms are most likely competitors? (1) A and C (2) B and C (3) B and D (4) D and E

Base your answers to questions 19-24 on the food web diagram below.



- 19. Which is a food chain in this web?
 - (1) trees, mountain lion, snake, and hawk
 - (2) trees, rabbit, deer, and shrubs
 - (3) grasses, cricket, frog, and mouse
 - (4) grasses, mouse, snake, and hawk
- 20. What is the primary source of energy for this food web?
 - (1) Sun

- (2) grasses
- (3) snake
- (4) wind

- 21. Two herbivores (primary consumers) are the
 - (1) deer and mountain lion

(3) rabbit and mouse

(2) owl and snake

- (4) cricket and frog
- 22. Which organisms not shown in this food web are important in all ecosystems?
 - (1) decomposers
- (2) consumers
- (3) producers
- (4) predators

- 23. The snake is classified as a(n)
 - (1) herbivore
- (2) carnivore
- (3) decomposer
- (4) omnivore
- 24. If a pesticide was sprayed that killed all the crickets, how would the food web be affected?
 - (1) the grasses would die
 - (2) the frog population would decrease
 - (3) the mountain lion would migrate
 - (4) the deer population would increase

- 25. Overpopulation of deer in an area will most likely cause
 - (1) a decrease in the number of predators of the deer
 - (2) a decrease in disease among the deer
 - (3) an increase in the amount of plants available for food
 - (4) an increase in competition among the deer
- 26. In an abandoned field, the grasses were slowly replaced by small bushes and then years later by a forest of trees. This is known as
 - (1) conservation of energy

(3) competition

(2) ecological succession

- (4) predation
- 27. Which activity has a negative effect on the environment?
 - (1) recycling aluminum cans


(3) establishing a wildlife preserve

(2) controlling air pollution

(4) use of chemical pesticides

Base your answers to questions 28-31 on the following statement:

The food pyramid below represents a pond community.



- 28. Which level contains the greatest amount of energy and biomass?
 - (1) A

(2) B

- (3) C
- (4) D

- 29. A carnivore is found at level(s)?
 - (1) C only
- (2) D only
- (3) B and C
- (4) C and D

- 30. From level A to D, the amount of energy will
 - (1) decrease
- (2) increase
- (3) remain the same
- 31. Acid rain causes the algae to die in the pond. As a result the water flea population

- (1) decreases
- (2) increases
- (3) remains the same